



# Chapter 4

## Greedy Algorithms



Slides by Kevin Wayne.  
Copyright © 2005 Pearson-Addison Wesley.  
All rights reserved.

# 4.4 Shortest Paths in a Graph



shortest path from Princeton CS department to Einstein's house

# Shortest Path Problem


## Shortest path network.

- Directed graph  $G = (V, E)$ .
- Source  $s$ , destination  $t$ .
- Length  $\ell_e =$  length of edge  $e$ .

Shortest path problem: find shortest directed path from  $s$  to  $t$ .



cost of path = sum of edge costs in path



Cost of path  $s-2-3-5-t$   
 $= 9 + 23 + 2 + 16$   
 $= 48.$

# Dijkstra's Algorithm


## Dijkstra's algorithm.

- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes

$$\pi(v) = \min_{e=(u,v): u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$



# Dijkstra's Algorithm


## Dijkstra's algorithm.

- Maintain a set of **explored nodes**  $S$  for which we have determined the shortest path distance  $d(u)$  from  $s$  to  $u$ .
- Initialize  $S = \{s\}$ ,  $d(s) = 0$ .
- Repeatedly choose unexplored node  $v$  which minimizes

$$\pi(v) = \min_{e=(u,v): u \in S} d(u) + \ell_e,$$

add  $v$  to  $S$ , and set  $d(v) = \pi(v)$ .

shortest path to some  $u$  in explored part, followed by a single edge  $(u, v)$



# Dijkstra's Algorithm: Proof of Correctness


**Invariant.** For each node  $u \in S$ ,  $d(u)$  is the length of the shortest  $s$ - $u$  path.

**Pf.** (by induction on  $|S|$ )

**Base case:**  $|S| = 1$  is trivial.

**Inductive hypothesis:** Assume true for  $|S| = k \geq 1$ .

- Let  $v$  be next node added to  $S$ , and let  $u$ - $v$  be the chosen edge.
- The shortest  $s$ - $u$  path plus  $(u, v)$  is an  $s$ - $v$  path of length  $\pi(v)$ .
- Consider any  $s$ - $v$  path  $P$ . We'll see that it's no shorter than  $\pi(v)$ .
- Let  $x$ - $y$  be the first edge in  $P$  that leaves  $S$ , and let  $P'$  be the subpath to  $x$ .
- $P$  is already too long as soon as it leaves  $S$ .



$$\begin{array}{ccccccc} l(P) & \geq & l(P') + l(x, y) & \geq & d(x) + l(x, y) & \geq & \pi(y) \geq \pi(v) \\ \uparrow & & \uparrow & & \uparrow & & \uparrow \\ \text{nonnegative} & & \text{inductive} & & \text{defn of } \pi(y) & & \text{Dijkstra chose } v \\ \text{weights} & & \text{hypothesis} & & & & \text{instead of } y \end{array}$$

# Dijkstra's Algorithm: Implementation

For each unexplored node, explicitly maintain  $\pi(v) = \min_{e=(u,v): u \in S} d(u) + \ell_e$ .

- Next node to explore = node with minimum  $\pi(v)$ .
- When exploring  $v$ , for each incident edge  $e = (v, w)$ , update

$$\pi(w) = \min \{ \pi(w), \pi(v) + \ell_e \}.$$

**Efficient implementation.** Maintain a priority queue of unexplored nodes, prioritized by  $\pi(v)$ .



PQ Operation	Dijkstra	Array	Binary heap	d-way Heap	Fib heap †
Insert	$n$	$n$	$\log n$	$d \log_d n$	1
ExtractMin	$n$	$n$	$\log n$	$d \log_d n$	$\log n$
ChangeKey	$m$	1	$\log n$	$\log_d n$	1
IsEmpty	$n$	1	1	1	1
Total		$n^2$	$m \log n$	$m \log_{m/n} n$	$m + n \log n$

† Individual ops are amortized bounds

# Edsger W. Dijkstra

The question of whether computers can think is like the question of whether submarines can swim.

Do only what only you can do.

In their capacity as a tool, computers will be but a ripple on the surface of our culture. In their capacity as intellectual challenge, they are without precedent in the cultural history of mankind.

The use of COBOL cripples the mind; its teaching should, therefore, be regarded as a criminal offence.

APL is a mistake, carried through to perfection. It is the language of the future for the programming techniques of the past: it creates a new generation of coding bums.

